	POPULATIO	N ESTIMATES	S	CAN	CER INCIDENC	E	LOCAL PUBLIC H	EALTH	
Total 1998 Population Est 49,970			(Cancer incidence is for 1997)			Activities Reported		Per	
Perce	nt Female		50.4						
D1-+			67	Primary Site		Number	Public Health Nursing		
Populat	ion per sq	uare mile		D		20	Total clients Total visits	241	
	III DCacc			Breast		32		341	68
	ighest pop			Cervical		4	Visits: Reason for	70	16
/2=1	owest popul	iation dens	sity.)	Colorectal		41	Gen hlth promotion Infant/child hlth	78 127	16 27
3	Home 1 c	Wala	maka 1	Prostate	ea, & Bronchu	.s 53 33	Infectious & parasitic		
<u>Age</u> 0-14	<b>Female</b> 4,950	<u>Male</u> 5,280	<u>Total</u> 10,230	Other sites			disculators & parasitic	9	
15-19	1,860	1,960	3,830	Total		294	Circulatory Prenatal Postpartum	82	16
20-24	1,490	1,480	2,960	IOLAI		294	Prendidi	12	2
25-29	1,490	1,460	2,700	   LC	אוכ ייייטא כאסדי	ı	Postpartum 	12	4
30-34	1,580	1,550	3,130	   TC	MG-IERM CARE		   WIC Participants	1,466	293
35-39	1,990	2,100	4,090	Community Opt	iona and MA	Wairon	wic Participants	1,400	493
40-44	1,960	2,100	4,030	Programs	JOHS AND MA	walver	Clinic Visits		
45-54	3,080	3,180	6,270	FIOGLAMS	# Clients	Costs		8,667	1 720
55-64	2,200	2,230	4,410	COP	<del># CITERIUS</del> 79	\$165,552	Immunization Blood pressure	0,007	1,129
65-74	2,200	1,880	3,900	MA Waivers *		\$105,552	Blood plessule	•	•
75-84	1,750	1,310	3,070	CTD17	10	¢411 830	Environmental Contacts		
85+	910	430	1,350	CIPIA CID1B	72	¢1 235 305	Env hazards	22	4
Total	25,160		49,970	CIPID	7.Z 1.Q	\$1,233,303 \$294 072	Public health nuisance	78	
locar	25,100	24,010	40,010	COD-W	92	\$274,072 \$526 795	rubiic nearth nuisance	70	10
Age	Female	Male	Total	CIP1B CIP2 COP-W CSLA Brain In-	ےر 0	\$JZ0,7JJ ¢N	School Health		
0-17	6,030	6,480	12,520	Brain Ind	i O	¢0	Vision screenings		•
18-44	9,160	9,300	18,450	Total COP/Wvr	rs 209	\$2,633,554	Hearing screenings	•	•
45-64	5,280	5,410	10,680	IOCAI COI/WVI	.5 207	φ2,033,331	licaring serecinings	•	•
65+	4,680	3,620	8,320	\$237 832 6	of the above	Waiver costs	Health Education		
Total				\$237,832 of the above Waiver costs were paid as local match/overmatch			Community sessions	2	
10cai 25,100 24,010 45,570				using COP funds. This amount is			Community attendance	12 91	
(Poverty	estimates	for 1995 a	are	not included in above COP costs.			School sessions	2	0
(Poverty estimates for 1995 are included in the 1997 profiles.			not included in above our coses.			School attendance		11	
Poverty statistics will be updated			* Waiver cost	s reported h	ere	believe accellance	33		
after the 2000 Census.)				include federal funding.			Staffing - FTEs		
0.2002	2000 00.	120001			.010.1 10.10.11.9	•	Total staff	12	2.5
	EMPL	OYMENT					Administrators	1	
				Home Health A	Agencies	3	Public health nurses	5	0.9
Average wage for jobs covered by Unemployment Compensation \$24,169				Patients	190110100	251	Public health aides	2	
					10,000 pop.		Environmental specialis		
Note: Average wage is based on place of work, not place of residence.				_			BIIVII OI MICITEAT SPECIALIS	<b>LD 1</b>	0.2
T - 1			. 7	Nursing Homes		13	TOGAL DIDITG HEAT		NG
	rce Estima			Licensed bed Occupancy ra	is .+o	1,544	LOCAL PUBLIC HEAL	TH LONDI	
Civilia	n labor for	rce	27,253	Residents or	10/21/00	94.8%		3	Per
Number employed 26,376 Number unemployed 877			kesidents on	1 T7/2T/AR	1,466	Total funding $\$$	Amount	capita	
Number unemployed 877 Unemployment rate 3.2%			Residents aged 65 or older Total funding per 1,000 population 162 Local taxes			704,518	\$14.00		
Unem	ibrolineut r	ale	3. ∠శ	per 1,000	popuration	10∠	Local taxes \$3	329,809	۵۲.۵۶

----- NATALITY ------Birth Order Births Percent TOTAL LIVE BIRTHS Marital Status 
 First
 233
 39
 of Mother
 Births
 Percent

 Second
 184
 31
 Married
 451
 76

 Third
 109
 18
 Not married
 145
 24

 Fourth or higher
 70
 12
 Unknown
 0
 0

 Unknown
 0
 0
 0
 0
 Crude Live Birth Rate 11.9
General Fertility Rate 58.2 Live births with reported congenital anomalies 12 . % Education First Prenatal of Mother Births Percent Visit Births Percent <u>Delivery Type</u> Births Percent Elementary or less 4 1 Some high school 77 13
High school 257 43
Some college 138 23
College graduate 119 20
Unknown 1 <.5 1st trimester 515 86 2nd trimester 63 11 Vaginal after previous cesarean 33 6 2nd trimester 63 11
Forceps 5 1 3rd trimester 16 3
Other vaginal 449 75 No visits 2 <.5
Primary cesarean 74 12 Unknown 0 0
Repeat cesarean 35 6
Other or unknown 0 0 Number of Prenatal Number of Prenatal Smoking Status

Care visits Births Percent of Mother Births Percent 
 Birth Weight
 Births
 Percent
 No visits
 2
 <.5</th>
 Smoker
 137

 <1,500 gm</td>
 5
 0.8
 1-4 visits
 12
 2
 Nonsmoker
 458

 1,500-2,499 gm
 30
 5.0
 5-9 visits
 136
 23
 Unknown
 1
 <</td>

 2,500+ gm
 561
 94.1
 10-12 visits
 308
 52
 Unknown
 134
 visits
 138
 23
 23
 Unknown
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 77 1 <.5 Low Birth Weight Trimester of First Prenatal Visit

Total Births (under 2,500 gm) 1st Trimester 2nd Trimester Other/Unknown

Race of Mother Births Percent B 588 99 35 6.0 507 86 63 11 18 3 White \* . \* . \* 5 100 . . . . 3 1 5 1 0 0 Black Other Unknown 
 Births Percent
 Births Percent
 Births Fercent

 1
 5.0
 14
 70
 4
 20
 2

 8
 16.7
 38
 79
 9
 19
 1

 8
 5.6
 120
 84
 18
 13
 5

 11
 5.4
 177
 87
 22
 11
 4

 6
 4.6
 118
 91
 8
 6
 4

 .
 .
 45
 92
 2
 4
 2

 \*
 .
 .
 .
 .
 .
 .
 Age of Mother <15 20 18 48 61 143 96 203 149 130 83 49 25 20 18 15-17 18-19 20-24 25-29 30-34 35-39 40+ Unknown <u>Teenage Births</u> 68 36 \* - Not reported. Age or race category has less than 5 births  Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus REPORTED\* CASES OF SELECTED DISEASES fetal deaths. Rates are not calculated for fewer than 20 deaths. Disease Number TOTAL DEATHS 651 Crude Death Rate 1,303 Campylobacter Enteritis 14 Giardiasis 17 <5 Hepatitis Type A Hepatitis Type A
Hepatitis Type B\*\*
Hepatitis NANB/C\*\*\*
Legionnaire's <5 Age Deaths Rate 0 5-14 <5 15-19 0 20-34 Legionnaire's 6 3 Lyme 

 Lyme
 <5</td>
 15-19
 3
 .

 Measles
 0
 20-34
 5
 .

 Meningitis, Aseptic
 <5</td>
 35-54
 33
 229

 Meningitis, Bacterial
 0
 55-64
 41
 928

 Mumps
 0
 65-74
 120
 3,076

 Pertussis
 0
 75-84
 212
 6,921

 Salmonellosis
 7
 85+
 228
 16,923

 Shigellosis Tuberculosis Infant Mortality Deaths Rate \* 1998 provisional data \*\* Includes all positive HBsAq Total Infant test results Neonatal \*\*\* Unavailable at time of printing Postneonatal 2 Unknown Sexually Transmitted Disease Chlamydia Trachomatis Alcohol 29 Race of Mother Other Drugs 27 54
Both Mentioned 2 . 9 Genital Herpes
Gonorrhea White Black Other Unknown Gonorrhea <5 Nongonococcal Cervicitis 0
Nongonococcal Urethritis 0 ----- MOTOR VEHICLE CRASHES -----Syphilis Birth Weight <1,500 gm .
1,500-2,499 gm .
2,500+ gm .
2</pre> ----- IMMUNIZATIONS -----Children in Grades K-12 by Compliance Level Unknown Compliant 11,737
Non-compliant 159
Percent Compliant 98.7 Perinatal Mortality Deaths Rate

Total Perinatal 6

Neonatal . . Fetal 6 .

aracea for rewer chair 2.	o acaciis.	
Selected Underlying Cause	Deaths	Rate
Heart Disease (total)	199	398
Coronary heart disease	e 147	294
Cancer (total)	122	244
Lung	33	66
Colorectal	11	
Female breast	8	.*
Cerebrovascular Disease	e 66	132
Chron Obstr Pulmonary	28	56
Pneumonia & Influenza	38	76
Injuries	29	58
Motor vehicle	11	
Diabetes	13	
Infectious & Parasitic	7	
Suicide	6	
* Rate for female breas on female popula		based
ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAUS		_

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	564	11
Alcohol-Related	106	9
With Citation:		
For OWI	56	1
For Speeding	18	0
Motorcyclist	28	0
Bicyclist	9	0
Pedestrian	14	0

------ HOSPITALIZATIONS ------

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	1,000	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related: All						Alcohol-Related					
Total	481	9.6	4.6	\$10,644	\$102	Total	112	2.2	4.4	\$2,669	\$6
<18	44	3.5	3.5	\$7,721	\$27	18-44	73	4.0	3.6	\$1,890	\$7
18-44	122	6.6	4.6	\$11,176	\$74	45-64	20	1.9	3.9	\$3,634	\$7
45-64	83	7.8	4.3	\$11,285	\$88	Pneumonia and		1.7	3.7	φ3,031	Ψ,
65+	232	27.9	4.9	\$10,690	\$298	Total	292	5.8	4.3	\$5,733	\$34
Injury: Hip	_	27.0	1.5	Q10,000	ŲΔJO	<18	48	3.8	2.7	\$2,991	\$11
Total	93	1.9	4.9	\$10,004	\$19	45-64	39	3.6	4.8	\$7,534	\$27
65+	86	10.3	4.9	\$10,061	\$104	65+	180	21.7	4.6	\$5,809	\$126
Injury: Pois		10.5	4.7	\$10,000	ΔTOŦ	Cerebrovascula		21.7	4.0	φ <b>3,</b> 002	9120
Total	26	0.5	1.8	\$3,651	\$2	Total	172	3.4	4.1	\$7,767	\$27
18-44	16	•		φ <b>3,03</b> 1	·	45-64	26	2.4	4.2	\$9,915	\$24
10 44	10	•	•	•	•	65+	140	16.8	4.0	\$7,148	\$120
Psychiatric						Chronic Obstru				Ş7 <b>,</b> 140	Ş120
Total	274	5.5	9.3	\$5,569	\$31	Total	96	1.9	3.4	\$4,945	\$9
<18	61	4.9	19.7	\$11,158	\$54	<18	6			φ <b>τ,</b> 2τ3	
18-44	130	7.0	5.9	\$3,485	\$25	18-44	10	•	•	•	•
45-64	51	4.8	7.4	\$4,723	\$23	45-64	23	2.2	2.9	\$4,278	\$9
65+	32	3.9	6.6	\$4,723	\$18	65+	57	6.9	3.8	\$5,640	\$39
051	22	3.7	0.0	γ <del>1</del> ,/31	ĄΤO	Drug-Related	37	0.5	3.0	φ <b>υ,</b> 040	ŞJ
Coronary Heart Disease				Total	14						
Total	385	7.7	3.5	\$13,197	\$102	18-44	8	•	•	•	•
45-64	110	10.3		\$15,065	\$155	10 44	O	•	•	•	•
65+	252	30.3	3.8		\$381	Total Hospital	izationa				
05+	232	30.3	3.0	\$12,550	SOOT	Total	5,913	118.3	3.9	\$7,024	\$831
Malignant Neop	lagmg (Ca	ngerg)	. 7.11			<18	975	77.9	3.5	\$4,029	\$314
Total	209	4.2		\$11,572	\$48	18-44	1,466	79.4	3.3	\$5,043	\$400
18-44	14		5.5	Ş11,3/Z	•	45-64	1,400	95.0	4.1	\$8,880	\$843
45-64	52	4.9	5 2	\$11,555	\$56	65+	2,457	295.6	4.4	\$8,628	\$2,551
65+	139	16.7		\$10,837	\$181	05+	2,437	293.0	7.7	\$0,0Z0	ŞΔ, JJI
						PREVENTABLE HOSPITALIZATIONS*					
Neoplasms: Female Breast (rates for female population) Total 22 0.9 1.8 \$5,032 \$4					Total	805	16.1	3.6	\$5,313	\$86	
Neoplasms: C			1.0	ųJ,UJΔ	ÅΞ	<18	83	6.6	2.2	\$2,766	\$18
Total	27	0.5	8.7	\$16,134	\$9	18-44	63 77	4.2	3.4	\$2,766	\$16 \$21
65+	23	2.8		\$16,134	\$47	45-64	143	13.4	3.4	\$5,120	\$70
Neoplasms: L		4.0	<i>9</i> •⊥	γ±0,9 <del>1</del> 3	γ <b>1</b> /	65+	502	60.4	4.0	\$5,791	\$350
Total	<b>ung</b> 25	0.5	5 6	\$10,520	\$5	* Hospitalization					
IUCAI	23	0.5	5.0	γ±0,5 <u>2</u> 0	ųυ	ambulatory care c					
Diabetes						The definition of					
Total	36	0.7	3.8	\$5,515	\$4	is consistent wi				.10112 111	<b>1</b> /20
65+	19			άυ, στο	•					this now	a in tha
TC0	65+ 19 Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between										
						1997 Teport Tor 1996 and 1997.	ан ехртана	ICTOIL OF	. LIIE CIIa	iige iliade	DE LWEETI
						1000 and 199/.					